

Appendix 1.

Pelvic Girdle Questionnaire (English Version)^a

To what extent do you find it problematic to carry out the activities listed below because of pelvic girdle pain? For each activity tick the box that best describes how you are today.

How problematic is it for you because of your pelvic girdle pain to:	Not at all (0)	To a small extent (1)	To some extent (2)	To a large extent (3)
1. Dress yourself				
2. Stand for less than 10 minutes				
3. Stand for more than 60 minutes				
4. Bend down				
5. Sit for less than 10 minutes				
6. Sit for more than 60 minutes				
7. Walk for less than 10 minutes				
8. Walk for more than 60 minutes				
9. Climb stairs				
10. Do housework				
11. Carry light objects				
12. Carry heavy objects				
13. Get up/sit down				
14. Push a shopping cart				
15. Run				
16. Carry out sporting activities*				<input type="checkbox"/>
17. Lie down				
18. Roll over in bed				
19. Have a normal sex life*				<input type="checkbox"/>
20. Push something with one foot				

* If not applicable, mark box to the right.

How much pain do you experience:	None (0)	Some (1)	Moderate (2)	Considerable (3)
21. In the morning				
22. In the evening				

To what extent because of pelvic girdle pain:	Not at all (0)	To a small extent (1)	To some extent (2)	To a large extent (3)
23. Has your leg/have your legs given way?				
24. Do you do things more slowly?				
25. Is your sleep interrupted?				

^a Scoring procedure: the scores were summarized and recalculated to percentage scores from 0 (no problem at all) to 100 (to a large extent).